

GE Consumer & Industrial
Lighting

Brio Premium

The new family member



GE imagination at work

BRIO Premium is a unique collection of contemporary luminaire ranges, including wall and ceiling mounted versions offering a distinctive appearance and striking performance.

The new design and the variety of colours allow you to choose the ideal aesthetic for your desired application.

The Brio Premium range is available in 2 sizes, with 3 different decorative covers and in 3 colours: white, black and metal grey.

The ideal solution for indoor and exterior applications thanks to the IP 54 rating.

Key features and benefits

- Shallow body and diffuser dimensions
- Supplied complete with lamps
- 2 sizes in White, Black or Silver Grey with Bezel, Grille or Visor
- Polycarbonate Body and Diffuser option: Opal
- GE 2D CFL lamp version
- Tool less opening and closing
- Back and side main cable entries
- Lighting performance LOR >60%

- Unobtrusive appearance in application area
- Allows to provide ready to install product solution and guaranty lighting performances
- Choice of aesthetic appearance that fits versatile applications
- Good impact resistance for public area, fire retardancy, chemical resistance and UV stability
- Greater energy savings and uniformity to achieve lighting levels and cost efficiency
- Ease of installation and maintenance
- Complies with all types of installation context for a quick and simple handling
- Efficient lighting schemes for less fittings

Lamp

16, 21, 28, 38w Biax™ 2D compact fluorescent lamps.
CRI: 85+, 3500°K.

The included GE 2D light sources last up to 15.000 hours and offer 50% more lifetime to reduce maintenance costs.

Accessories/Options

- 3 colours: White, Black and Silver Grey
- 3 attachments: Bezel, Grille and Visor



Installation/Mounting

Suitable for Surface mounting on wall and ceiling for both interior and exterior use. The body is screwed onto the mounting surface by two screws. Main connection via two-way connecting block. Internal polycarbonate reflector fixed to the body by two screws. Main cable entry hole located at the rear of body.

Materials/Finish

Body: impact-resistant, self-extinguish clear grey polycarbonate.
Internal Reflector: self-extinguish polycarbonate white.
Diffuser: Opal methacrylate
Outer attachments: colored ABS, clip-fits to the diffuser and insulation.

Light

Lighting performance and comfort:

Highly efficient Biax™ 2D compact fluorescent lamps, excellent colour rendering and diffuser transmittance that optimize installation spacing.

Improved – 10% more! – Lumen output for better lumen efficiency.




Efficiency


EcoMagination®:

Energy saving lighting system, consumption efficiency and Biax™ 2D compact fluorescent lamps to minimize maintenance costs.

The energy efficient compact fluorescent lamp saves up to 80% energy versus incandescent lamps.



L.E.A.D.



Design

Construction:

Robust, functional, and easy to install ideal for demanding environments.

Brio Premium is designed for very high level of protection against the entry of dust and liquids (IP 54), designed for low power consumption Biax™ 2D compact fluorescent lamps.

Aesthetics:

Slim profile, modern aesthetical attachments and colors that enhance residential and working areas.

Application

Versatile application range including damp environment, entrance hall, receptions, stairwells, corridors, circulation routes, rest areas, and building surrounds.

Ordering guide

Product code Description

44569 NL BRIOP 2D BRO 16WBK L 835 230V BEZEL GE
44442 NL BRIOP 2D BRO 16WGR L 835 230V BEZEL GE
44379 NL BRIOP 2D BRO 16WWH L 835 230V BEZEL GE
44515 NL BRIOP 2D BRO 21WBK L 835 230V BEZEL GE
44440 NL BRIOP 2D BRO 21WGR L 835 230V BEZEL GE
44535 NL BRIOP 2D BRO 21WWH L 835 230V BEZEL GE

44568 NL BRIOP 2D BRO 16WBK L 835 230V GRILLE GE
44577 NL BRIOP 2D BRO 16WGR L 835 230V GRILLE GE
44394 NL BRIOP 2D BRO 16WWH L 835 230V GRILLE GE
44487 NL BRIOP 2D BRO 21WBK L 835 230V GRILLE GE
44413 NL BRIOP 2D BRO 21WGR L 835 230V GRILLE GE
44444 NL BRIOP 2D BRO 21WWH L 835 230V GRILLE GE

44567 NL BRIOP 2D BRO 16WBK L 835 230V VISOR GE
44398 NL BRIOP 2D BRO 16WGR L 835 230V VISOR GE
44389 NL BRIOP 2D BRO 16WWH L 835 230V VISOR GE
44484 NL BRIOP 2D BRO 21WBK L 835 230V VISOR GE
44402 NL BRIOP 2D BRO 21WGR L 835 230V VISOR GE
44441 NL BRIOP 2D BRO 21WWH L 835 230V VISOR GE


44541 NL BRIOP 2D BRO 28WBK H 835 230V BEZEL GE
44479 NL BRIOP 2D BRO 28WGR H 835 230V BEZEL GE
44563 NL BRIOP 2D BRO 28WWH H 835 230V BEZEL GE
44608 NL BRIOP 2D BRO 38WBK H 835 230V BEZEL GE
44639 NL BRIOP 2D BRO 38WGR H 835 230V BEZEL GE
44612 NL BRIOP 2D BRO 38WWH H 835 230V BEZEL GE

44644 NL BRIOP 2D BRO 28WBK H 835 230V GRILLE GE
44465 NL BRIOP 2D BRO 28WGR H 835 230V GRILLE GE
44560 NL BRIOP 2D BRO 28WWH H 835 230V GRILLE GE
44605 NL BRIOP 2D BRO 38WBK H 835 230V GRILLE GE
44634 NL BRIOP 2D BRO 38WGR H 835 230V GRILLE GE
44611 NL BRIOP 2D BRO 38WWH H 835 230V GRILLE GE


44641 NL BRIOP 2D BRO 28WBK H 835 230V VISOR GE
44453 NL BRIOP 2D BRO 28WGR H 835 230V VISOR GE
44557 NL BRIOP 2D BRO 28WWH H 835 230V VISOR GE
44684 NL BRIOP 2D BRO 38WBK H 835 230V VISOR GE
44613 NL BRIOP 2D BRO 38WGR H 835 230V VISOR GE
44609 NL BRIOP 2D BRO 38WWH H 835 230V VISOR GE




Bezel




Grille




Visor




Bezel



Grille



Visor



Sales offices

BAHRAIN, KUWAIT, OMAN, PAKISTAN, QATAR, SRI LANKA, UAE

GE International Inc.
 City Tower II, Sheikh Zayed Rd P.O.Box 52905
 DUBAI
 U.A.E.
 Tel: (971) 4 3310 444 Fax: (971) 4 3315 930

BOSNIA AND HERZEGOVINA, CROATIA, SLOVANIA

Adria Lighting & Power Protection
 Media Light d.o.o.
 Exclusive agent of GE Hungary Rt.
 Lighting and Power Protection for
 Bosnia, Croatia and Slovenia.
 Brncićeva 31
 1000 Ljubljana
 Slovenia
 Phone: (386) 1 5304366
 Fax: (386) 1 530 4361

BULGARIA

GEII-Bulgaria
 Str.Dragan Tzankov 36, 1040 Sofia
 Phone: (359) 2 971 4389
 Fax: (359) 2 971 4384

HUNGARY

GE Hungary ZRt.
 1340 Budapest
 Váci út 77.
 Phone: (36) 1 399 1100
 Fax: (36) 1 399 1672

ITALY

Via Brescia 31,
 36040 Torri di Quartesolo (VI)
 Vicenza
 Phone: +39 0444 26781
 Fax: +39 0444 267818

POLAND

Ul. Jagiellonska 74
 03-301 Warsaw
 VAT no.NIP 526-10-30-824
 Registration: REGON 011165913 KRS
 0000073794, Sad Rejonowy dla m.
 st. Warszawy, XIII Wydział
 Gospodarczy
 Krajowego Rejestru Sadowego
 Initial capital: 9.365.500,00PLN
 Tel: (48) 22 519 42 15
 Fax: (48) 22 519 42 01

RUSSIA

000 GE Rus, Krasnopresnenskaya
 Nab., 18, Moscow, 123317, Russia
 Phone: (7) 495 739 6855
 Fax: (7) 495 739 681

SPAIN

GE Lighting Appliances España, s.a.,
 Lluís 95 – 97 Planta Baja,
 08005 Barcelona
 Freephone in Spain: 900 993.612
 Free fax in Spain: 900 993.609

TURKEY

Sun Plaza, Dereboyu Sokak No.
 24/6, Maslak, Istanbul 34398 Turkey
 Phone:(90) 212 366 28 00
 Fax: (90) 212 366 28 40